

The background is a light-colored marble with intricate, flowing veins of gold and brown. A large, thin, white oval frame is centered on the page, enclosing the text.

GOLDEN

SERIES

Size: **600x1200mm** | Thickness: **8mm** | Surface: **Glossy** | Type: **Pgvt**

Pre- senting

GOLDEN SERIES

The Golden Series is all about shine, style, and sophistication.

Inspired by the rich tones of sunlit metals, these tiles bring a radiant glow to any space. Made with high-quality materials and advanced digital glazing technology, these tiles with their golden detailing effortlessly complement any decor, making them an ideal choice for spaces demanding a touch of luxury and affluence.

Collection
2025




**Who doesn't
want a
little gold?**

Glossy
Surface

600x1200mm

8mm
Thickness

Size,
Surface &
Thickness



Golden
Hour
Serenity

Golden Advantages

These tiles are as durable as they are delicately refined. Resistant to daily wear and tear, they maintain their beauty over time.

- 

Chemical
Resistant
- 

Frost
Resistant
- 

Fire
Resistant
- 

Lasting
Durability
- 

Easy
Installation
- 

Hygienic
Surface

Collection
2025

Golden Applications

The Golden Series' golden accents and their beauty and functionality combine to offer you a seamless experience in any setting.

- 

Residential
- 

Commercial
Building
- 

Gymnasium
- 

School &
College
- 

Industry
- 

Airport
- 

Hall &
Corridor
- 

Religious
Place




Golden Gallery

Let your room sparkle with a dash of golden charm and transform your space into a luxurious suite. Choose from our collection of 10 extraordinarily opulent tiles and give your walls and floors the glow-up they deserve.



Gilded
Surfaces

Collection
2025




**FANCY
GOLD**




**LITHIUM
GOLD**



PALLADIUM




**RHODIUM
AQUA**




**SILVER
GOLD**



**TIN
GOLD**




**OZON
AQUA**



**YELLOW
GOLD**




**WHITE
GOLD**



**ZENO
GOLD**

Fancy
Gold

Face - 2




Size: 600x1200mm	Thickness: 8mm	Surface: Glossy
------------------	----------------	-----------------

GOLDEN
S E R I E S

Polished Glazed Vitrified Tiles

[Back to Index](#)




Fancy Gold

GOLDEN
SERIES



Lithium Gold

Face - 4



Size: 600x1200mm	Thickness: 8mm	Surface: Glossy
------------------	----------------	-----------------

GOLDEN
S E R I E S

Polished Glazed Vitrified Tiles

Back to Index





Lithium Gold

GOLDEN
SERIES



Palladium

Face - 2



Size: 600x1200mm	Thickness: 8mm	Surface: Glossy
------------------	----------------	-----------------

GOLDEN
S E R I E S

Polished Glazed Vitrified Tiles

[Back to Index](#)






Palladium

GOLDEN
SERIES



Rhodium Aqua

Face - 3



Size: 600x1200mm


Thickness: 8mm

Surface: Glossy

GOLDEN
S E R I E S

Polished Glazed Vitrified Tiles

[Back to Index](#)





Rhodium Aqua

GOLDEN
SERIES



Silver
Gold

Face - 4



Size: 600x1200mm	Thickness: 8mm	Surface: Glossy
------------------	----------------	-----------------

GOLDEN
SERIES

Polished Glazed Vitrified Tiles

[Back to Index](#)




Silver Gold

GOLDEN
SERIES



Tin Gold

Face - 3



Size: 600x1200mm	Thickness: 8mm	Surface: Glossy
------------------	----------------	-----------------

GOLDEN
SERIES

Polished Glazed Vitrified Tiles

[Back to Index](#)




Tin Gold

GOLDEN
SERIES



Ozon Aqua

Face - 3




Size: 600x1200mm	Thickness: 8mm	Surface: Glossy
------------------	----------------	-----------------

GOLDEN
SERIES

Polished Glazed Vitrified Tiles

[Back to Index](#)




Ozon Aqua

GOLDEN
SERIES



Yellow Gold

Face - 3



Size: 600x1200mm	Thickness: 8mm	Surface: Glossy
------------------	----------------	-----------------

GOLDEN
S E R I E S

Polished Glazed Vitrified Tiles

[Back to Index](#)





Yellow Gold

GOLDEN
SERIES



White Gold

Face - 4



Size: 600x1200mm	Thickness: 8mm	Surface: Glossy
------------------	----------------	-----------------

GOLDEN
SERIES

Polished Glazed Vitrified Tiles

[Back to Index](#)







White Gold

GOLDEN
SERIES



Zeno Gold

Face - 3




Size: 600x1200mm	Thickness: 8mm	Surface: Glossy
------------------	----------------	-----------------

GOLDEN
SERIES

Polished Glazed Vitrified Tiles

[Back to Index](#)



Zeno Gold

GOLDEN
SERIES



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	MEAN VALUE OF OUR	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.6 %	± 0.07 % (± 0.4mm)	ISO-10545-2
Deviation in thickness	± 5.0 %	± 4.2 % (± 0.4mm)	ISO-10545-2
Straightness in side	± 0.5 %	± 0.06 % (± 0.4mm)	ISO-10545-2
Rectangularity	± 0.5 %	± 0.12 %	ISO-10545-2
Surface flatness	± 0.5 %	± 0.17 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min. 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	E ≤ 0.5 %	E ≤0.1 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	≥ 35 N/mm²	≥ 36 N/mm²	SO-10545-4
Breaking strength	≥ 1300 N	≥ 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class 3	ISO-10545-7
MOH's hardness	As per mfg	PEI Class 2-5	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	Mini 10 Cycles	10 Cycles	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	6 x 10 ⁻⁶ K ⁻¹ Max	≤ 6 x 10 ⁻⁶ K ⁻¹	ISO-10545-8
Crazing resistance	Mini 4 Cycles 7.5 Bar	4 Cycle Pass	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	Minimum Class GB	Class GB	ISO-10545-13
Stain resistance	Minimum Class GB	Class GB	SO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

PACKING DETAIL

TILE SIZE	THICKNESS (APPROX.)	No. Of Tiles / Box	Coverage Area / Box	Weight (APPROX.)
600x1200mm	8 mm	2 pcs.	1.44 sq.mtr.	27.5 kgs.

